

QUICK LINE

"ARIES " WINDLASSES SERIES - Vertical in aluminium - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
A 312	300 W - 12 V - Oval base	520,00	25
A 312 D	300 W - 12 V - Oval base with drum	545,00	25
A 512	500 W - 12 V - Oval base	545,00	25
A 524	500 W - 24 V - Oval base	560,00	25
A 512 D	500 W - 12 V - Oval base with drum	570,00	25
A 524 D	500 W - 24 V - Oval base with drum	585,00	25
A 712	700 W - 12 V - Oval base	735,00	26
A 724	700 W - 24 V - Oval base	775,00	26
A 712 D	700 W - 12 V - Oval base with drum	765,00	26
A 724 D	700 W - 24 V - Oval base with drum	805,00	26
A 1012	1000 W - 12 V - Oval base	770,00	26
A 1024	1000 W - 24 V - Oval base	790,00	26
A 1012 D	1000 W - 12 V - Oval base with drum	795,00	26
A 1024 D	1000 W - 24 V - Oval base with drum	820,00	26
A 1412	1400 W - 12 V - Oval base	1 140,00	26
A 1424	1400 W - 24 V - Oval base	1 180,00	26
A 1412 D	1400 W - 12 V - Oval base with drum	1 170,00	26
A 1424 D	1400 W - 24 V - Oval base with drum	1 210,00	26
"ASTER " WINDLASSES SERIES - Vertical in chrome plated bronze - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
AS 312	300 W - 12 V - Oval base	600,00	15
AS 312 D	300 W - 12 V - Oval base with drum	650,00	15
AS 512	500 W - 12 V - Oval base	630,00	15
AS 524	500 W - 24 V - Oval base	680,00	15
AS 512 D	500 W - 12 V - Oval base with drum	680,00	15
AS 524 D	500 W - 24 V - Oval base with drum	730,00	15
AS 712	700 W - 12 V - Oval base	730,00	16
AS 724	700 W - 24 V - Oval base	770,00	16
AS 712 D	700 W - 12 V - Oval base with drum	780,00	17
AS 724 D	700 W - 24 V - Oval base with drum	820,00	17
AS 1012	1000 W - 12 V - Oval base	765,00	16
AS 1024	1000 W - 24 V - Oval base	785,00	16
AS 1012 D	1000 W - 12 V - Oval base with drum	815,00	17
AS 1024 D	1000 W - 24 V - Oval base with drum	835,00	17
"ANTARES" WINDLASSES SERIES - Vertical in chrome plated bronze - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
AT 1012	1000 W - 12 V - Oval base	815,00	19
AT 1012D	1000 W - 12 V - Oval base with drum	845,00	20
AT 1024	1000 W - 24 V - Oval base	835,00	19
AT 1024D	1000 W - 24 V - Oval base with drum	865,00	20
AT 1512	1500 W - 12 V - Oval base	1 195,00	19
AT 1512D	1500 W - 12 V - Oval base with drum	1 235,00	20
AT 1524	1500 W - 24 V - Oval base	1 230,00	19
AT 1524D	1500 W - 24 V - Oval base with drum	1 270,00	20

"FLAIR" WINDLASSES SERIES - Vertical in fibre - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
F 312	300 W - 12 V - Oval base	480,00	29
F 312 D	300 W - 12 V - Oval base with drum	505,00	29
F 512	500 W - 12 V - Oval base	505,00	29
F 524	500 W - 24 V - Oval base	530,00	29
F 512 D	500 W - 12 V - Oval base with drum	530,00	29
F 524 D	500 W - 24 V - Oval base with drum	555,00	29
F 712	700 W - 12 V - Oval base	680,00	30
F 724	700 W - 24 V - Oval base	705,00	30
F 712 D	700 W - 12 V - Oval base with drum	710,00	30
F 724 D	700 W - 24 V - Oval base with drum	735,00	30
F 1012	1000 W - 12 V - Oval base	710,00	30
F 1024	1000 W - 24 V - Oval base	730,00	30
F 1012 D	1000 W - 12 V - Oval base with drum	740,00	30
F 1024 D	1000 W - 24 V - Oval base with drum	760,00	30
F 1412	1400 W - 12 V - Oval base	1 075,00	30
F 1424	1400 W - 24 V - Oval base	1 100,00	30
F 1412 D	1400 W - 12 V - Oval base with drum	1 105,00	30
F 1424 D	1400 W - 24 V - Oval base with drum	1 130,00	30
"CRYSTAL " WINDLASSES SERIES - Vertical in chrome plated bronze - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
C 600	500 W - 12 V	690,00	23
C 600 D	500 W - 12 V - With drum	740,00	23
C 1000	800 W - 12 V	750,00	23
C 1000 D	800 W - 12 V - With drum	800,00	23
C 1100	800 W - 24 V	780,00	23
C 1100 D	800 W - 24 V - With drum	830,00	23
"RIDER" WINDLASSES SERIES - Vertical in aluminium - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
R 512	500 W - 12 V - Round base	535,00	33
R 524	500 W - 24 V - Round base	555,00	33
R 512 D	500 W - 12 V - Round base with drum	560,00	33
R 524 D	500 W - 24 V - Round base with drum	580,00	33
R 712	700 W - 12 V - Round base	735,00	34
R 724	700 W - 24 V - Round base	755,00	34
R 712 D	700 W - 12 V - Round base with drum	765,00	34
R 724 D	700 W - 24 V - Round base with drum	785,00	34
R 1012	1000 W - 12 V - Round base	755,00	34
R 1024	1000 W - 24 V - Round base	770,00	34
R 1012 D	1000 W - 12 V - Round base with drum	785,00	34
R 1024 D	1000 W - 24 V - Round base with drum	800,00	34
R 1412	1400 W - 12 V - Round base	1 140,00	34
R 1424	1400 W - 24 V - Round base	1 170,00	34
R 1412 D	1400 W - 12 V - Round base with drum	1 170,00	34
R 1424 D	1400 W - 24 V - Round base with drum	1 200,00	34
R 1724	1700 W - 24 V - Round base	1 435,00	36
R 1724 D	1700 W - 24 V - Round base with drum	1 550,00	36
R 2024	2000 W - 24 V - Round base	1 865,00	36
R 2024 D	2000 W - 24 V - Round base with drum	1 980,00	36
"REGAL " WINDLASSES SERIES - Vertical in chrome plated bronze - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
R 1724 X	1700 W - 24 V - Round base with right chain pipe	1 465,00	38
R 1724 DX	1700 W - 24 V - Round base with drum and right chain pipe	1 580,00	39
R 1724 Y	1700 W - 24 V - Round base with left chain pipe	1 465,00	38
R 1724 DY	1700 W - 24 V - Round base with drum and left chain pipe	1 580,00	39
R 2024 X	2000 W - 24 V - Round base with right chain pipe	1 890,00	38
R 2024 DX	2000 W - 24 V - Round base with drum and right chain pipe	2 005,00	39
R 2024 Y	2000 W - 24 V - Round base with left chain pipe	1 890,00	38
R 2024 DY	2000 W - 24 V - Round base with drum and left chain pipe	2 005,00	39

"EAGLE" WINDLASSES SERIES - Horizontal in aluminium - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
E 312	300 W - 12 V	470,00	43
E 312 D	300 W - 12 V - With drum	495,00	43
E 512	500 W - 12 V	525,00	43
E 512 D	500 W - 12 V - With drum	550,00	43
E 712 D	700 W - 12 V - With drum	860,00	44
E 724 D	700 W - 24 V - With drum	890,00	44
E 1012 D	1000 W - 12 V - With drum	890,00	44
E 1024 D	1000 W - 24 V - With drum	910,00	44
E 1412 D	1400 W - 12 V - With drum	990,00	44
E 1424 D	1400 W - 24 V - With drum	1 030,00	44
"GENIUS" WINDLASSES SERIES - On deck in aluminium - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
G 600	500 W - 12 V	680,00	41
G 600 D	500 W - 12 V - With drum	730,00	41
G1000	800 W - 12 V	730,00	41
G1000 D	800 W - 12 V - With drum	780,00	41
G1100	800 W - 24 V	740,00	41
G1100 D	800 W - 24 V - With drum	790,00	41
"HERON" WINDLASSES SERIES - On deck in fibre - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
H 512 D	500 W - 12 V - With drum and up - down switches	600,00	46
H 712 D	700 W - 12 V - With drum and up - down switches	815,00	46
H 724 D	700 W - 24 V - With drum and up - down switches	845,00	46
H 1012 D	1000 W - 12 V - With drum and up - down switches	845,00	46
H 1024 D	1000 W - 24 V - With drum and up - down switches	875,00	46
"TOTEM" CAPSTANS SERIES - Vertical chrome plated bronze - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
TM 600	500 W - 12 V - Drum ø 80 mm	660,00	51
TM 1000	800 W - 12 V - Drum ø 80 mm	690,00	51
TM 1100	800 W - 24 V - Drum ø 80 mm	720,00	51
"TAURO" CAPSTANS SERIES - Vertical in aluminium - Including solenoids unit			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
T 512	500 W - 12 V	470,00	49
T 524	500 W - 24 V	495,00	49
T 712	700 W - 12 V	650,00	49
T 724	700 W - 24 V	680,00	49
T 1012 S	1000 W - 12 V - Ø 80 mm	675,00	49
T 1012 L	1000 W - 12 V - Ø 105 mm	760,00	49
T 1024 S	1000 W - 24 V - Ø 80 mm	700,00	49
T 1024 L	1000 W - 24 V - Ø 105 mm	790,00	49
T 1412	1400 W - 12 V	1 080,00	50
T 1424	1400 W - 24 V	1 110,00	50
T 1724	1700 W - 24 V	1 250,00	50
T 2024	2000 W - 24 V	1 680,00	50
DIN 766 CHAIN FINISHING HOT DIPPED GALVANISED			
MODEL	EQUIPMENT DESCRIPTION	Price - €/m	Page
2006	DIN 766 chain - 6 mm	2,88	53
2008	DIN 766 chain - 8 mm	4,86	53
2010	DIN 766 chain - 10 mm	7,07	53
2012	DIN 766 chain - 12 mm	9,82	53
DIN 766 CHAIN STAINLESS STEEL			
MODEL	EQUIPMENT DESCRIPTION	Price - €/m	Page
2006X	DIN 766 chain - 6 mm	13,90	53
2008X	DIN 766 chain - 8 mm	24,20	53
2010X	DIN 766 chain - 10 mm	34,56	53
2012X	DIN 766 chain - 12 mm	47,36	53

SWITCHES			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
800	Control board up / down	10,85	56
900 / UB	Foot switch - up - black	10,85	56
900 / DB	Foot switch - down - black	10,85	56
900 / UW	Foot switch - up - white	10,85	56
900 / DW	Foot switch - down - white	10,85	56
MULTIPURPOSE WATERTIGHT HAND HELD REMOTE CONTROL			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
1002	Watertight hand held 2 switches	53,00	56
1004	Watertight hand held 4 switches	84,00	56
1006	Watertight hand held 6 switches	110,00	56
1006 / F	Watertight hand held combined 6 switches	130,00	56
1008	Watertight hand held 8 switches	150,00	56
WATERTIGHT CHAIN COUNTER			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
1102 M	Watertight hand held chain counter	220,00	56
CHC1202 M	Control panel chain counter	230,00	55
KCS	Spare sensor kit for chain counter	14,46	55
KCP	Kit Plastics inside instalation CHC 1202 M	30,00	55
RADIO CONTROLS 433MHz			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
1302	Radio control receiver - 2 channels - relays 20 A	150,00	57
1304	Radio control receiver - 4 channels - relays 20 A	170,00	57
1306	Radio control receiver - 6 channels - relays 20 A	230,00	57
1308	Radio control receiver - 8 channels - relays 20 A	250,00	57
1310	Radio control receiver - 10 channels - relays 20 A	270,00	57
1352	Radio control receiver - 2 channels - relays 5 A	120,00	57
1354	Radio control receiver - 4 channels - relays 5 A	145,00	57
1356	Radio control receiver - 6 channels - relays 5 A	200,00	57
302	Radio control transmitter - 2 channels	70,00	57
304	Radio control transmitter - 4 channels	80,00	57
306	Radio control transmitter - 6 channels	90,00	57
308	Radio control transmitter - 8 channels	100,00	57
310	Radio control transmitter - 10 channels	110,00	57
02	Pocket radio control transmitter - 2 channels	50,00	57
04	Pocket radio control transmitter - 4 channels	55,00	57
81	External antenna for receiver	35,00	-
RADIO CONTROLS 40 MHz			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
1402	Radio control receiver - 2 channels - relays 20 A	150,00	57
1404	Radio control receiver - 4 channels - relays 20 A	170,00	57
1406	Radio control receiver - 6 channels - relays 20 A	230,00	57
1408	Radio control receiver - 8 channels - relays 20 A	250,00	57
1410	Radio control receiver - 10 channels - relays 20 A	270,00	57
1452	Radio control receiver - 2 channels - relays 5 A	120,00	57
1454	Radio control receiver - 4 channels - relays 5 A	145,00	57
1456	Radio control receiver - 6 channels - relays 5 A	200,00	57
402	Radio control transmitter - 2 channels	70,00	57
404	Radio control transmitter - 4 channels	80,00	57
406	Radio control transmitter - 6 channels	90,00	57
408	Radio control transmitter - 8 channels	100,00	57
410	Radio control transmitter - 10 channels	110,00	57
82	External antenna for receiver	50,00	-

HYDRAULIC MAGNETIC SWITCH			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
10040	Hydraulic magnetic switch - 40 A cc	56,00	54
10050	Hydraulic magnetic switch - 50 A cc	58,00	54
10060	Hydraulic magnetic switch - 60 A cc	60,00	54
10080	Hydraulic magnetic switch - 80 A cc	70,00	54
10100	Hydraulic magnetic switch - 100 A cc	90,00	54
SOLENOIDS UNIT AND REVERSING SOLENOIDS UNIT			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
T 501	Solenoids unit - 12 V - 1500 W	52,00	54
T 502	Solenoids unit - 24 V - 2000 W	52,00	54
T 503	Reversing solenoids unit - 12 V - 1500 W	65,00	54
T 504	Reversing solenoids unit - 24 V - 2000 W	76,00	54
T 510	Solenoids unit - 12 V - 2500 W	86,00	54
T 520	Solenoids unit - 24 V - 3500 W	86,00	54
T 530	Reversing solenoids unit - 12 V - 2500 W	103,00	54
T 540	Reversing solenoids unit - 24 V - 3500 W	103,00	54
5100	Solenoids unit - 12 V - 3000 W	150,00	54
5200	Solenoids unit - 24 V - 4500 W	150,00	54
SOLENOIDS AND REVERSING SOLENOIDS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
106 / 12	Solenoid - 12 V - 1500 W	26,00	54
106 / 24	Solenoid - 24 V - 2000 W	26,00	54
106C / 12	Reversing solenoid - 12 V - 1500 W	37,00	54
106C / 24	Reversing solenoid - 24 V - 2000 W	37,00	54
156 / 12	Solenoid - 12 V - 2500 W	41,00	54
156 / 24	Solenoid - 24 V - 3500 W	41,00	54
206 / 12	Solenoid - 12 V - 3000 W	52,00	54
206 / 24	Solenoid - 24 V - 4500 W	52,00	54
IP67 WATERTIGHT CONNECTORS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
7002	Watertight connector IP67 - 12 A - 2 contacts	10,00	58
7012	Model 7002 - 10 pieces package	86,00	58
7003	Watertight connector IP67 - 12 A - 3 contacts	11,00	58
7013	Model 7003 - 10 pieces package	99,00	58
7004	Watertight connector IP67 - 12 A - 4 contacts	12,00	58
7014	Model 7004 - 10 pieces package	112,00	58
7005	Watertight connector IP67 - 12 A - 5 contacts	14,00	58
7015	Model 7005 - 10 pieces package	120,00	58
7006	Watertight connector IP67 - 12 A - 6 contacts	15,00	58
7016	Model 7006 - 10 pieces package	140,00	58
7009	Watertight connector IP68 - 5 A - 9 contacts	34,00	58
7019	Model 7009 - 10pieces package	330,00	58
WATERTIGHT CABLE OUTLETS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
8011	Watertight cable outlet - Ø from 6 to 11 mm	3,14	58
8111	Model 8011 - 10 pieces package	28,17	58
8013	Watertight cable outlet - Ø from 10 to 13 mm	3,20	58
8113	Model 8013 - 10 pieces package	28,75	58
8016	Watertight cable outlet - Ø from 12 to 16 mm	3,34	58
8116	Model 8016 - 10 pieces package	30,17	58
AUTOMATIC AND MANUAL BILGE PUMPS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
P 5812	58 liters/min - 12V - manual	75,00	59
P 5824	58 liters/min - 24V - manual	75,00	59
P 9612	96 liters/min - 12V - manual	125,00	59
P 9624	96 liters/min - 24V - manual	125,00	59
AP 5812	58 liters/min - 12V - automatic	120,00	59
AP 5824	58 liters/min - 24V - automatic	120,00	59
AP 9612	96 liters/min - 12V - automatic	180,00	59
AP 9624	96 liters/min - 24V - automatic	180,00	59

ELECTRONIC BILGE SWITCHES			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
BS 010	10 A - 12/24 V	43,00	59
BS 015	15 A - 12/24 V	49,00	59
BS 020	20 A - 12/24 V	55,00	59
SWITCH MODE BATTERY CHARGERS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
SBC 100 ADV+ DR	12 V 8 A - 2 outputs - automatic 110 or 230 Vac	148,50	61
SBC 100 ADV+	12 V 8 A - 2 outputs	135,00	61
SBC 140 ADV+ DR	12 V 12 A - 2 outputs - automatic 110 or 230 Vac	187,00	61
SBC 140 ADV+	12 V 12 A - 2 outputs	170,00	61
SBC 250 ADV+ DR	12 V 25 A - 3 outputs - automatic 110 or 230 Vac	280,50	61
SBC 250 ADV+	12 V 25 A - 3 outputs	255,00	61
SBC 285 ADV+ DR	24 V 12 A - 2 outputs - automatic 110 or 230 Vac	294,80	61
SBC 285 ADV+	24 V 12 A - 3 outputs	268,00	61
SBC 300 ADV+ FR	12 V 30 A - 3 outputs - full AC input range from 83 to 280 Vac	440,00	63
SBC 500 ADV+ FR	12 V 40 A - 3 outputs - full AC input range from 83 to 280 Vac	600,00	63
SBC 700 ADV+ FR	12 V 60 A - 3 outputs - full AC input range from 83 to 280 Vac	700,00	63
SBC 650 ADV+ FR	24 V 30 A - 3 outputs - full AC input range from 83 to 280 Vac	700,00	63
SBC 1100 ADV+ FR	12 V 80 A - 3 outputs - full AC input range from 83 to 280 Vac	970,00	-
SBC 1450 ADV+	24 V 60 A - 3 outputs	1 030,00	-
SBC 1950 ADV+	24 V 80 A - 3 outputs	1 750,00	-
SBC ACCESSORIES			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
RDS 1400	Remote display - Volt / Ampere	155,00	64
TSS	Charge compensator sensor	27,00	64
KTS	Temperature sensor	6,50	64
GALVANIC INSULATION VOLTAGE REDUCERS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
VRG08	Voltage reducer VRG08 24/12V 8A	168,00	67
VRG15	Voltage reducer VRG15 24/12V 15A	204,00	67
VRG25	Voltage reducer VRG25 24/12V 25A	237,00	67
SWITCHING VOLTAGE REDUCERS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
VRS10	Voltage reducer VRS10 24/12V 10A	42,00	66
VRS16	Voltage reducer VRS16 24/12V 16A	52,00	66
VRS23	Voltage reducer VRS23 24/12V 23A	60,00	66
SINE WAVE INVERTER			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
J 401	Inverter 12 Vdc / 230 Vac - 400 W	680,00	68
J 402	Inverter 24 Vdc / 230 Vac - 400 W	680,00	68
J 801	Inverter 12 Vdc / 230 Vac - 800 W	1 250,00	68
J 802	Inverter 24 Vdc / 230 Vac - 800 W	1 250,00	68
BATTERY ISOLATORS			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
S1	Battery isolator - 300 A	51,00	68
SP1	Panel with 1 battery isolator - 300 A	60,00	68
SP2	Panel with 2 battery isolators - 300 A	110,00	68
SP3	Panel with 3 battery isolators - 300 A	160,00	68

STAINLESS STEEL WATER HEATERS "NAUTIC BOILER "			
MODEL	EQUIPMENT DESCRIPTION	Price - €	Page
BX 1505	15 liters - 500 W - Round shape - without heat exch.	295,00	71
BX 1505S	15 liters - 500 W - Round shape - with heat exch.	315,00	71
BX 1512	15 liters - 1200 W - Round shape - without heat exch.	295,00	71
BX 1512S	15 liters - 1200 W - Round shape - with heat exch.	315,00	71
BX 1605S	16 liters - 500 W - Rectangular shape - with heat exch.	396,00	72
BX 1612S	16 liters - 1200 W - Rectangular shape - with heat exch.	396,00	72
BX 1600S	16 liters - Rectangular shape -heat exch.only	383,00	72
BX 1605	16 liters - 500 W - Rectangular shape - without heat exch.	362,00	72
BX 1612	16 liters - 1200 W - Rectangular shape - without heat exch.	362,00	72
BX 2005	20 liters - 500 W - Round shape - without heat exch.	305,00	71
BX 2005S	20 liters - 500 W - Round shape - with heat exch.	325,00	71
BX 2012	20 liters - 1200 W - Round shape - without heat exch.	305,00	71
BX 2012S	20 liters - 1200 W - Round shape - with heat exch.	325,00	71
BX 2505	25 liters - 500 W - Round shape - without heat exch.	315,00	71
BX 2505S	25 liters - 500 W - Round shape - with heat exch.	335,00	71
BX 2512	25 liters - 1200 W - Round shape - without heat exch.	315,00	71
BX 2512S	25 liters - 1200 W - Round shape - with heat exch.	335,00	71
BXS 2505	25 liters - 500 W - Square shape - without heat exch.	345,00	73
BXS 2505S	25 liters - 500 W - Square shape - with heat exch.	345,00	73
BXS 2512	25 liters - 1200 W - Square shape - without heat exch.	345,00	73
BXS 2512S	25 liters - 1200 W - Square shape - with heat exch.	345,00	73
BX 2605	26 liters - 500 W - Round shape - without heat exch.	315,00	71
BX 2605S	26 liters - 500 W - Round shape - with heat exch.	335,00	71
BX 2612	26 liters - 1200 W - Round shape - without heat exch.	315,00	71
BX 2612S	26 liters - 1200 W - Round shape - with heat exch.	335,00	71
BX 3005	30 liters - 500 W - Round shape - without heat exch.	350,00	71
BX 3005S	30 liters - 500 W - Round shape - with heat exch.	375,00	71
BX 3012	30 liters - 1200 W - Round shape - without heat exch.	350,00	71
BX 3012S	30 liters - 1200 W - Round shape - with heat exch.	375,00	71
BX 4005	40 liters - 500 W - Round shape - without heat exch.	355,00	71
BX 4005S	40 liters - 500 W - Round shape - with heat exch.	380,00	71
BX 4012	40 liters - 1200 W - Round shape - without heat exch.	355,00	71
BX 4012S	40 liters - 1200 W - Round shape - with heat exch.	380,00	71
BXS 4005	40 liters - 500 W - Square shape - without heat exch.	390,00	73
BXS 4005S	40 liters - 500 W - Square shape - with heat exch.	390,00	73
BXS 4012	40 liters - 1200 W - Square shape - without heat exch.	390,00	73
BXS 4012S	40 liters - 1200 W - Square shape - with heat exch.	390,00	73
BX 4105	41 liters - 500 W - Round shape - without heat exch.	415,00	71
BX 4105S	41 liters - 500 W - Round shape - with heat exch.	440,00	71
BX 4112	41 liters - 1200 W - Round shape - without heat exch.	415,00	71
BX 4112S	41 liters - 1200 W - Round shape - with heat exch.	440,00	71
BX 5012	50 liters - 1200 W - Round shape - without heat exch.	435,00	71
BX 5012S	50 liters - 1200 W - Round shape - with heat exch.	460,00	71
BX 6012	60 liters - 1200 W - Round shape - without heat exch.	445,00	71
BX 6012S	60 liters - 1200 W - Round shape - with heat exch.	470,00	71
BX 8012	80 liters - 1200 W - Round shape - without heat exch.	575,00	71
BX 8012S	80 liters - 1200 W - Round shape - with heat exch.	600,00	71

ALL WATER HEATERS ARE AVAILABLES with 110 VAC

WATER HEATERS ACCESSORIES			
MODEL	EQUIPMENT DESCRIPTION	UNIT PRICE	Page
KMX	Thermostatic mixing valve kit	52,00	70
EXHIBITORS			
MODEL	EQUIPMENT DESCRIPTION	UNIT PRICE	Page
KEX0	Display stand without shelves	260,00	74
KEX2	Display stand with two shelves	260,00	74
KEXB	Display stand for blister	260,00	74

SALE GENERAL CONDITIONS - ORDERS: every order received by us involves the acceptance, by the customer, of the sales conditions specified hereafter. No contestations will be accepted about orders placed by phone. **CATALOGUE – PRICE LIST:** the catalogue items and the price list in force may be modified without notice. Prices and conditions are those in force at the shipment date of the goods. The prices are meant F.O.B. Ravenna, (V.A.T.) excluded, packing excluded. **CARRIAGE:** the goods are always conveyed at the customer's risk, even if they are conveyed C.I.F. destination. On delivery, the addressee must check that the parcels are in good conditions and, in case, put forward his claims with the shipping agent, who is the only liable person for losses, breakages, damages and delays. If the means of transport has not been specified with the order, the choice of the most convenient conveyance will be chosen by us. **COMPLAINTS:** no complaints will be accepted after 8 days from the receipt of the goods. **RETURNS:** any goods return is subject to our consent, and they must be sent back C.I.F. our shop. Any complaints must be in writing. **GUARANTEE:** our products are guaranteed against manufacture's defects for two years from the purchase date forth. The guarantee does not cover: damages and breakages that may have occurred during transport; interventions made for troubles due to an incorrect installation or to supposed vices; damages and defects caused by the wrong use of the equipment. The guarantee is no longer valid in case of maintenance or repair performed by technicians not authorized by Quick, or by using non-original spare parts. In no case does the guarantee cover the replacement of faulty products. The guarantee only covers the replacement of spare parts and relative labour. Transport and transfer expenses are not included. Besides, the customer is not entitled to claim any refund for additional expenses or for the immobilization of the boat. **PAYMENT CONDITIONS:** cash on delivery or in advance. **RELIABLE CUSTOMERS:** 30-day invoice date by means of swift bank-transfer 100 Euros order value will have to be paid cash at delivery. **COMPETENT COURT:** any controversy will have to be handled in Ravenna court.

SCOTTI LINE

TRICOLOUR LIGHTS - For boats under 12 meters				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
L3110NV	158745	Tricolour light - black case	20,66	76
L3110BV	158755	Tricolour light - white case	20,66	76
NAVIGATION LIGHTS - Vertical installation - H 59mm - For boats under 12 meters				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LT105NV	158823/E	Masthead light - black case	10,33	77
LT105BV	158835/E	Masthead light - white case	10,33	77
LT105XV	158853/E	Masthead light stainless steel case	17,04	78
LP105NV	158824/E	Stern light - black case	10,33	77
LP105BV	158836/E	Stern light - white case	10,33	77
LP105XV	158854/E	Stern light stainless steel case	17,04	78
LR105NV	158820/E	Red navigation light - black case	10,33	77
LR105BV	158830/E	Red navigation light - white case	10,33	77
LR105XV	158850/E	Red navigation light stainless steel case	17,04	78
LV105NV	158821/E	Green navigation light - black case	10,33	77
LV105BV	158831/E	Green navigation light - white case	10,33	77
LV105XV	158851/E	Green navigation light stainless steel case	17,04	78
LB105NV	158822/E	Bicolour navigation light - black case	11,36	77
LB105BV	158832/E	Bicolour navigation light - white case	11,36	77
LB105XV	158852/E	Bicolour navigation light stainless steel case	17,04	78
NAVIGATION LIGHTS - Horizontal installation - H 42mm - For boats under 12 meters				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LT104XR	158813	Masthead light stainless steel case	24,27	79
LP104XR	158814	Stern light stainless steel case	24,27	79
LR104XR	158810	Red navigation light stainless steel case	24,27	79
LV104XR	158811	Green navigation light stainless steel case	24,27	79
LB104XR	158812	Bicolour navigation light stainless steel case	25,31	79
NAVIGATION LIGHTS - Vertical installation - H 95mm - For boats under 12 meters				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LR109XV	158815	Red navigation light stainless steel case	24,27	80
LV109XV	158816	Green navigation light stainless steel case	24,27	80
LIGHTS MOUNTING ON ANTICORODAL POLE - 1 metre pole - For boats under 12 metres				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LT110NCR	158841/N	Masthead light - black case + horizontal connector	61,97	81
LT110BCR	158841/B	Masthead light - white case + horizontal connector	61,97	81
LP110NCR	158842/N	Stern light - black case + horizontal connector	61,97	81
LP110BCR	158842/B	Stern light - white case + horizontal connector	61,97	81
LT110NCV	158841/NV	Masthead light - black case + vertical connector	61,97	81
LT110BCV	158841/BV	Masthead light - white case + vertical connector	61,97	81
LP110NCV	158842/NV	Stern light - black case + vertical connector	61,97	81
LP110BCV	158842/BV	Stern light - white case + vertical connector	61,97	81
LT110XCR	158833	Masthead light stainless steel case + horizontal connector	61,97	82
LP110XCR	158834	Stern light stainless steel case + horizontal connector	61,97	82
LT110XCV	158833/V	Masthead light stainless steel case + vertical connector	61,97	82
LP110XCV	158834/V	Stern light stainless steel case + vertical connector	61,97	82
COMBINATION LIGHTS - For boats under 20 meters				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
L4119NA	158804	Combination lights - anchorage H110+bicolour+stern black case	88,31	83
L4116NA	159804	Combination lights - anchorage H 86+bicolour+stern black case	88,31	83
L4119BA	158806	Combination lights - anchorage H110+bicolour+stern white case	88,31	83
L4116BA	159806	Combination lights - anchorage H 86+bicolour+stern white case	88,31	83

ANCHORAGE LIGHTS - H 86mm cap - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LF208N18	159743/B1	Anchorage light - black case - pole connection Ø18	11,36	84
LF208B18	159753/B1	Anchorage light - white case - pole connection Ø18	11,36	84
LF208N20	159743/B	Anchorage light - black case - pole connection Ø20	11,36	84
LF208B20	159753/B	Anchorage light - white case - pole connection Ø20	11,36	84
LF209N24	159743/B2	Anchorage light - black case - pole connection Ø24 / Ø20	11,36	84
LF209B24	159753/B2	Anchorage light - white case - pole connection Ø24 / Ø20	11,36	84
LF208NV	159744/B	Anchorage light - black case - screw connection	11,36	84
LF208BV	159754/B	Anchorage light - white case - screw connection	11,36	84

ANCHORAGE LIGHTS - H110mm cap - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LF211N18	158743/B1	Anchorage light - black case - pole connection Ø18	15,49	85
LF211B18	158753/B1	Anchorage light - white case - pole connection Ø18	15,49	85
LF211N20	158743/B	Anchorage light - black case - pole connection Ø20	15,49	85
LF211B20	158753/B	Anchorage light - white case - pole connection Ø20	15,49	85
LF211N24	158743/B2	Anchorage light - black case - pole connection Ø24 / Ø20	15,49	85
LF211B24	158753/B2	Anchorage light - white case - pole connection Ø24 / Ø20	15,49	85
LF210NV	158744/B	Anchorage light - black case - screw connection	15,49	85
LF210BV	158754/B	Anchorage light - white case - screw connection	15,49	85

NAVIGATION LIGHTS - Vertical installation - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LT212NV	158863	Masthead light - black case	29,95	86
LT212BV	158873	Masthead light - white case	29,95	86
LP212NV	158864	Stern light - black case	29,95	86
LP212BV	158874	Stern light - white case	29,95	86
LR212NV	158860	Red navigation light - black case	29,95	86
LR212BV	158870	Red navigation light - white case	29,95	86
LV212NV	158861	Green navigation light - black case	29,95	86
LV212BV	158871	Green navigation light - white case	29,95	86
LB212NV	158862	Bicolour navigation light - black case	32,02	86
LB212BV	158872	Bicolour navigation light - white case	32,02	86

ANCHORAGE LIGHTS ON STAINLESS STEEL POLE - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LF201NA	159808	Anchorage light - black case with 7cm pole	28,41	87
LF201BA	159810	Anchorage light - white case with 7cm pole	28,41	87
LF203NA	159812	Anchorage light - black case with 30cm pole	28,41	87
LF203BA	159814	Anchorage light - white case with 30cm pole	28,41	87

ANCHORAGE LIGHTS ON STAINLESS STEEL POLE - H 86mm cap - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LF206NCR	159844/C	Anchorage light - black case 60cm pole + horizontal connector	51,65	88
LF210NCR	159844	Anchorage light - black case 1m pole + horizontal connector	54,23	88
LF210NCV	159844/V	Anchorage light - black case 1m pole + vertical connector	54,23	88

ANCHORAGE LIGHTS ON STAINLESS STEEL POLE - H 110mm cap - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
LF207NCR	158844/C	Anchorage light - black case with 60cm pole + horizontal connector	56,81	89
LF211NCR	158844	Anchorage light - black case with 1m pole + horizontal connector	59,39	89
LF211NCV	158844/V	Anchorage light - black case with 1m pole + vertical connector	59,39	89

COMBINATION LIGHTS - For boats under 20 meters

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
L4229NA	158800	Combination light - anchorage+bicolour+stern black case with g	131,70	90
L4229BA	158802	Combination light - anchorage+bicolour+stern white case with g	131,70	90
L5229NA	158801	Combination light - anchorage+masthead+stern black case with	131,70	90
L5229BA	158803	Combination light - anchorage+masthead+stern white case with	131,70	90

LIGHT ACCESSORIES

MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
ST01	158839	Stainless steel bracket for navigation lights	7,23	78
ST02	158840	Stainless steel bracket for navigation lights - pole connection	10,85	78
ST03	158819	Support base for light horizontal base	7,49	79
ST04	158818	Base for mounting horizontal light	3,87	79

INDICATOR LIGHTS				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
SSP8V	117969	Pilot light Ø18mm green	7,75	91
SSP8A	117970	Pilot light Ø18mm orange	7,75	91
SSP8R	117971	Pilot light Ø18mm red	7,75	91
SSP8B	117974	Pilot light Ø18mm blue	7,75	91
SSP5V	118969	Pilot light Ø15mm green	7,75	91
SSP5A	118970	Pilot light Ø15mm orange	7,75	91
SSP5R	118971	Pilot light Ø15mm red	7,75	91
SSP5B	118974	Pilot light Ø15mm blue	7,75	91
SSP5G	118975	Pilot light Ø15mm yellow	7,75	91
SSL1V	9558480	Led+ledholder 12V green	3,62	91
SSL1G	-	Led+ledholder 12V yellow	3,62	91
SSL1R	9558482	Led+ledholder 12V red	3,62	91
SSL2V	9558483	Led+ledholder 24V green	3,62	91
SSL2G	-	Led+ledholder 24V yellow	3,62	91
SSL2R	9558485	Led+ledholder 24V red	3,62	91
CEILING LIGHT				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
PL1	327587	Ceiling light with switch	26,86	91
PL2	327586	Ceiling light without switch	25,31	91
LAMPS				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
ELL103W2195D	9500001	Lamp 12V 3W W 2,1x9,5d	0,62	92
ELL110BA15D0	9500070	Lamp 12V 10W BA 15d	1,08	93
ELL110BA15S0	9500040	Lamp 12V 10W BA 15s	1,08	92
ELL110SV8580	9500017	Lamp 12V 10W SV 8,5-8 (11x39)	1,08	92
ELL115BA15D0	9500005	Lamp 12V 15W BA 15d	1,70	92
ELL125BY15DL	9500042	Lamp 12V 25W BAY 15d longlife	5,68	93
ELL203W2195D	9500002	Lamp 24V 3W W 2,1x9,5d	1,03	92
ELL210BA15S0	9500041	Lamp 24V 10W BA 15s	1,55	92
ELL210SV8580	9500018	Lamp 24V 10W SV 8,5-8 (11x39)	1,65	92
ELL215BA15D0	9500006	Lamp 24V 15W BA 15d	1,96	92
ELL225BY15DL	9500043	Lamp 24V 25W BAY 15d longlife	5,68	93
BATTERY ISOLATORS AND ACCESSORIES				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
S10N	210083/N	Battery isolator 100A black	11,88	96
S12NB	210086	Battery isolator 120A black bipolar	31,50	98
S14C	210084/C	Battery isolator 140A chrome	38,73	97
S14D	210085	Battery isolator 140A chrome-nuts	24,79	97
S14DG	220085	Battery isolator 140A chrome-nuts - EN28846	26,86	97
S14N	210084/N	Battery isolator 140A black	15,49	96
S14NG	220084/N	Battery isolator 140A black - EN28846	18,08	96
S30F	218008	Battery isolator 300A fixed key	69,72	98
KB10N	08014	Black battery isolator key S10N	2,84	-
KB14C	08005	Black battery isolator key S14C-S12NB	3,61	-
KR14N	08015	Red battery isolator key S14N - S14NG - S14D - S14DG	3,61	-
KR14C	08005	Red battery isolator key S14C - S14NB	3,61	-
TGF	035181	OFF-ON plate for battery isolator	1,81	98
TGN	035180	ON-OFF plate for battery isolator	1,81	98
SOLENOID VALVES AND ACCESSORIES				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
EL0511	310020	Solenoid valve 1/2" gas 12V 100L/H	38,22	99
EL0516	310026	Solenoid valve 1/2" gas 12V 600L/H	72,30	99
EL0521	310021	Solenoid valve 1/2" gas 24V 100L/H	38,22	99
EL0526	310027	Solenoid valve 1/2" gas 24V 600L/H	72,30	99
EL1013	310022	Solenoid valve 1" gas 12V 3350L/H	206,58	99
EL1023	310023	Solenoid valve 1" gas 24V 3350L/H	206,58	99
RC12GG10	310090	Connector 1/2" gas for rubber pipe Ø10mm	6,20	99
RC12GR08	310091	Connector 1/2" gas for copper pipe Ø 8mm	6,20	99
RC12GR10	310092	Connector 1/2" gas for copper pipe Ø10mm	6,20	99
RC12GR12	310093	Connector 1/2" gas for copper pipe Ø12mm	6,20	99

SWITCHES				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
212	018045	Lever switch 12A - IP56	14,46	101
220N	014860/N	Switch 20A black	9,30	100
220NC	014859/N	Switch 20A black NC contact	9,30	100
220R	014860/R	Switch 20A red	9,30	100
220RC	014859/R	Switch 20A red NC contact	9,30	100
220T	014849	Switch 20A brass Ø21mm	8,52	100
230C	014847	Switch 30A hexagonal chrome	11,88	100
230C5	014846	Switch 30A chrome Ø25mm	11,88	100
230N	014848/N	Switch 30A black	12,91	100
230PS	014848/E	Switch 30A safety cap	15,49	100
230R	014848/R	Switch 30A red	12,91	100
CIRCUIT BREAKERS				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
612	024707	Lever circuit breaker 12A - IP56	14,46	102
620N	024888	Circuit breaker 20A nylon Ø25mm	7,23	102
630C	024889	Circuit breaker 30A chrome Ø20mm	13,43	102
630CS	024890	Circuit breaker 30A chrome Ø20mm - IP56	15,49	102
650C	024894	Circuit breaker 50A chrome Ø20mm	16,27	102
650C5	024891	Circuit breaker 50A chrome Ø25mm	18,59	102
650N	024893	Circuit breaker 50A nylon Ø25mm	15,49	102
FOOT SWITCHES AND ACCESSORIES				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
903/NB	018039/N	Foot switch 30A nylon black	33,05	101
903/NR	018039/R	Foot switch 30A nylon red	33,05	101
903/XB	018040/N	Foot switch 30A stainless steel black	28,92	101
903/XR	018040/R	Foot switch 30A stainless steel red	28,92	101
920/NB	018018/N	Foot switch 2000A nylon black	53,20	101
920/NR	018018/R	Foot switch 2000A nylon red	53,20	101
920/XB	018041/N	Foot switch 2000A stainless steel black	29,44	101
920/XR	018041/R	Foot switch 2000A stainless steel red	29,44	101
MBACMPDX0000	9558247	Stainless steel ring for foot switch	9,30	-
PCCCMPDN0000	9558246	Black foot switch cap	6,71	-
PCCCMPDR0000	9558245	Red foot switch cap	6,71	-
KEY-LOCKED IGNITION SWITCHES				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
D250	077712	Key-locked ignition switch 2 positions 50A	107,42	103
D330	077713	Key-locked ignition switch 3 positions 30A	113,10	103
D350	077714	Key-locked ignition switch 3 positions 50A	108,46	103
D430	077715	Key-locked ignition switch 4 positions 30A	116,20	103
CONNECTORS - SOCKETS - PLUGS				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
7304	147983	Connector 8 A - 4 poles - brass - IP56	28,41	104
7404	147984	Connector 8 A - 4 poles - neoprene	22,72	104
7502P	147991/B	Fixed socket 8 A - 2 poles - brass	22,72	105
7503P	147991/T	Fixed socket 8 A - 3 poles - brass	22,72	105
7504P	147991	Fixed socket 8 A - 4 poles - brass	22,72	105
7704P	147981	Fixed socket 8 A - 4 poles - nylon - IP56	13,94	104
7602PV	147986/B	Socket 8 A - 2 poles - neoprene	6,71	104
7603PV	147986/T	Socket 8 A - 3 poles - neoprene	7,23	104
7604PV	147986	Socket 8 A - 4 poles - neoprene	7,75	104
7504S	147982	Plug 8 A - 4 poles - brass - IP56	16,01	104
7602S	147988/B	Plug 8 A - 2 poles - neoprene	7,75	104
7603S	147988/T	Plug 8 A - 3 poles - neoprene	8,26	104
7604S	147988	Plug 8 A - 4 poles - neoprene	8,78	104
CABLE OUTLETS				
MODEL	SCOTTI CODE	EQUIPMENT DESCRIPTION	Price €	Page
8006	060280	Watertight cable outlet Ø 6mm	7,49	105
8008	060281	Watertight cable outlet Ø 8mm	7,49	105
8010	060283	Watertight cable outlet Ø 10mm	7,49	105
8012	060282	Watertight cable outlet Ø 12mm	7,49	105

